



Outbreak Brief #129: Coronavirus Disease 2019 (COVID-19) Pandemic

Date of Issue: 5 July 2022

Global count: 546,114,042 cases and 6,335,599deaths

Data sources: World Health Organization and African Union Member States

Outbreak Update: As of 4 July 2022, a total of 546,114,042 COVID-19 cases and 6,335,599 deaths (case fatality ratio [CFR]: 1.2%) have been reported globally by 232 countries and territories to the World Health Organization (WHO). The distribution of cumulative cases (percentage of global cases) from the WHO regions (excluding Africa) are as follows: Eastern Mediterranean Region 18,660,167 (3%), European Region 229,039,830 (42%), Region of the Americas 162,970,252 (30%), South-East Asia Region 58,649,033 (11%) and Western Pacific Region 64,514,416 (12%). In the last seven days, the five countries reporting the highest number of new cases are France (546,404), Germany (541,127), Italy (534,629), the United States of America (468,701) and China (263,351). As of 3 July 2022, over 4.7 billion people (59% of the global population) have been fully vaccinated. For more detailed information on cases and deaths reported outside of Africa, refer to the WHO COVID-19 dashboard.

As of 6 p.m. East African Time (EAT) 4 July 2022, a total of 11,819,617 COVID-19 cases and 254,205 deaths (CFR: 2.2%) have been reported by the 55 African Union (AU) Member States (MS). This represents 2% of all cases and 4% of all deaths reported globally. Forty (73%) AU MS are reporting CFRs higher than the global CFR. Since the detection of COVID-19 on the African continent (in February 2020), 53 (96%) AU MS have experienced three distinct COVID-19 waves, 48 (87%) MS have experienced four waves, 22MS have experienced five waves, and two MS (Kenya and Mauritius) have experienced a sixth wave.

Fifty-three MS have reported COVID-19 cases infected with the Alpha (50 MS), Beta (45), Delta (50), Gamma (3) and Omicron (49) variants of concern (VOC). Additionally, 22 MS have detected the Omicron BA.2 sub-variant, while eight MS detected the Omicron BA.4 and ten MS detected the Omicron BA.5 sub-variants. More information on SARS-COV-2 sequencing and the breakdown of variants reported by AU MS is available on the <u>Africa Pathogen Genomics Initiative Dashboard</u>.

Fifty-four (98%) MS are currently providing COVID-19 vaccination to the general population. Cumulatively, 613.7 million doses have been administered on the continent. Of these doses administered, 309 million people have been partially vaccinated, 272.4 million have been fully vaccinated, and 32 million have received a booster dose. Overall, 19.4% of the continental population is fully vaccinated. Eritrea is the only AU MS yet to start COVID-19 vaccination roll out. More information on COVID-19 vaccination can be found on the Africa CDC COVID-19 vaccine dashboard.








Figure 1: New COVID-19 cases reported in Africa by African Union region and epidemiological week, 15 February 2020 - 3 July 2022.

For Epi week 26 (27 June - 3 July 2022), 36,551 new COVID-19 cases were reported, which is a 24% decrease in the number of new cases reported compared to the previous week (25) (Figure 1). The Northern region accounted for 55% of the new COVID-19 cases reported this week, followed by the Eastern (19%), Southern (15%), Western (9%) and Central (2%) regions. Cabo Verde (349)had the highest number of new daily COVID-19 cases per 1 million population among all MS, followed by Seychelles (126).

Last week, 157 new COVID-19 deaths were reported in Africa, a 40% decrease in the number of new deaths reported compared to the previous week. Approximately 64% of these deaths were reported from the Southern region. The remaining deaths were reported from the Eastern (22%), Northern (11%), Western (2%) and Central (1%) regions. Cumulative COVID-19 case and death totals and new COVID-19 cases and deaths reported during week 26 by AU Member State are summarized in Table 1.

More than 491,599 tests were conducted during the past week, reflecting a 13% decrease in the number of tests compared to the previous week. The weekly % test positivity has decreased from 9% to 7%. Since February 2020, over 111 million COVID-19 tests have been conducted in Africa. For more information on the COVID-19 situation in Africa, please see the Africa CDC daily dashboard and hotspot dashboard.





Table 1: Number and percentage change of confirmed COVID-19 cases and deaths reported in Africa since February 2020 and for Epidemiological Week 26 (27 June - 3 July 2022) by African Union Member States.

Country by AU Region	Cumulative number of cases (new cases)	% change in new cases since week 25	Cumulative number of deaths (new deaths)	% change in new deaths since week 25
Central Region	371,021 (689)	-25%	4,549 (1)	-50%
Burundi	42,698 (40)	-78%	15 (0)	NA*
Cameroon	120,068 (0)	NA*	1,930 (0)	NA*
Central African	14,678 (92)	NA*	113 (0)	NA*
Republic				
Chad	7,425 (1)	NA*	193 (0)	NA*
Congo	24,421 (0)	-100%	386 (0)	-100%
Democratic Republic of Congo	91,662 (267)	-28%	1,351 (0)	-100%
Equatorial Guinea	16,087 (92)	109%	183 (0)	NA*
Gabon	47,939 (197)	NA*	305 (1)	NA*
Sao Tome and Principe	6,043 (0)	-100%	73 (0)	NA*
Eastern Region	1,441,521	-5%	27,406 (34)	325%
	(7,004)			
Comoros	8,139 (8)	NA*	160 (0)	NA*
Djibouti	15,690 (0)	NA*	189 (0)	NA*
Eritrea	9,788 (0)	-100%	103 (0)	NA*
Ethiopia	489,341 (1,911)	-42%	7,541 (11)	57%
Kenya	334,443 (2,216)	-23%	5,656 (4)	300%
Madagascar	65,381 (829)	NA*	1,398 (3)	NA*
Mauritius	38,060 (0)	NA*	904 (0)	NA*
Rwanda	126,262 (665)	516%	1,460 (1)	NA*
Seychelles	44,847 (88)	-78%	167 (0)	NA*
Somalia	26,865 (62)	13%	1,361 (0)	NA*
South Sudan	17,722 (39)	NA*	138 (0)	NA*
Sudan	62,624 (149)	NA*	3,909 (0)	NA*
Tanzania	35,366 (12)	NA*	800 (0)	NA*





Uganda	166,993 (1,025)	61%	3,620 (15)	NA*
Northern Region	3,622,042	-18%	83,810 (17)	-51%
	(19,949)			
Algeria	266,129 (90)	43%	6,875 (0)	NA*
Egypt	515,667 (0)	NA*	24,624 (0)	NA*
Libya	502,189 (51)	82%	6,430 (0)	NA*
Mauritania	60,252 (801)	468%	984 (2)	NA*
Morocco	1,223,585	2%	16,116 (15)	7%
	(19,007)			
Tunisia	1,052,180 (0)	-100%	28,691 (0)	-100%
Sahrawi Arab	2,040 (0)	NA*	90 (0)	NA*
Democratic				
Republic				
Southern Region	5,530,953	-53%	127,057 (101)	-51%
	(5,464)			
Angola	101,581 (324)	-77%	1,900 (0)	NA*
Botswana	263,950 (0)	NA*	2,739 (0)	-100%
Eswatini	73,136 (63)	-6%	1,416 (1)	NA*
Lesotho	34,128 (32)	-52%	702 (1)	No change
Malawi	86,576 (228)	58%	2,646 (1)	No change
Mozambique	228,183 (567)	16%	2,212 (0)	-100%
Namibia	166,207 (138)	-12%	4,065 (4)	-20%
South Africa	3,995,291	-64%	101,812 (81)	-43%
	(2,842)			
Zambia	326,175 (927)	-3%	4,007 (4)	-56%
Zimbabwe	255,726 (343)	-38%	5,558 (9)	-40%
Western Region	853,914 (3,445)	-12%	11,382 (4)	-60%
Benin	26,952 (0)	NA*	163 (0)	NA*
Burkina Faso	21,044 (0)	NA*	387 (0)	NA*
Cape Verde	61,105 (1,403)	-2%	405 (2)	100%
Côte d'Ivoire	83,659 (610)	88%	805 (0)	-100%
Gambia	12,002 (0)	NA*	365 (0)	NA*
Ghana	166,546 (413)	-73%	1,452 (2)	No change
Guinea	37,351 (78)	-53%	781 (0)	-100%
Guinea-Bissau	8,369 (21)	-49%	171 (0)	NA*
Liberia	7,497 (4)	No change	294 (0)	NA*
Mali	31,174 (18)	-5%	737 (0)	-100%





Niger	9,031 (0)	NA*	310 (0)	NA*
Nigeria	257,637 (679)	175%	3,144 (0)	NA*
Senegal	86,363 (77)	31%	1,968 (0)	NA*
Sierra Leone	7,702 (8)	33%	125 (0)	NA*
Togo	37,482 (134)	33%	275 (0)	-100%
Total	11,819,451	-24%	254,204 (157)	-40%
	(36,551)			

^{*}No new cases/deaths reported in the previous week.

New Africa CDC Response Activities

General:

- Dr. Ahmed E. Ogwell Ouma, Acting Director of Africa CDC, hosted the Africa CDC weekly
 press briefing on Thursday 30 June 2022 at 12 p.m. EAT. He provided an update on the
 COVID-19 situation across the continent, including response efforts and progress on
 increasing COVID-19 vaccination coverage. The recording is available on the Africa CDC
 Twitter page.
- Africa CDC and partners will commemorate the Africa Integration Day
 by virtually launching the African Vaccine Passport and continental eHealth backbone
 module at the Boma of Africa festival on Friday, 8 July 2022, at 1 p.m. EAT. Dr Ouma
 Ogwell, Ag. Director, Africa CDC and other distinguished guests will discuss on the module.
 Register here.

Sciences, Standards and Regulations:

- Subscribe <u>here</u> to receive the Partnership for Evidence-Based Response to COVID-19 (PERC) update and all other products, or visit the <u>PERC</u> and <u>Africa CDC websites</u>.
- 2. Access the latest PERC report on "Responding to COVID-19 in Africa: Finding the Balance (Part IV) and Calls to Action" here.

Recommendations for the Member States

- AU Member States should continue to organize and implement COVID-19 vaccination campaigns, with a focus on increasing <u>eligibility</u>¹ and demand needed to achieve 70% vaccine coverage. Member States should also address vaccine misinformation with effective community-based risk communication and vaccine promotion activities.
- 2. AU Member States are encouraged to implement a tiered public health and social measures (PHSM) approach. This approach will ensure that measures are targeted and informed by the current COVID-19 situation.

¹ Vaccination Advocacy Infographics – Africa CDC





- 3. AU Member States should continue to **enhance COVID-19² surveillance** efforts to include:
 - a. <u>Community-based surveillance</u>³ to detect symptomatic cases early and minimize viral transmission. Where feasible, <u>rapid antigen tests</u>⁴ and <u>self-testing</u>⁵ can be used to enhance diagnostic screening efforts.
 - b. <u>Rapid mortality surveillance</u>⁶ that focuses on collection, analysis and use of allcause mortality data captured from facility and/or community-based surveillance activities to improve knowledge of COVID-19 related outcomes.
 - c. <u>Genomic surveillance</u>⁷ to monitor the presence of variants and the spread and continuous evolution of the virus.
 - d. <u>Syndromic surveillance</u> for influenza-like illness (ILI) and severe acute respiratory infections (SARI)⁸ to monitor COVID-19 trends in comparison to other respiratory pathogens.
- 4. AU Member States are encouraged to:
 - a. Continue contact tracing activities where feasible based on the current epidemiological situation and country capacity.
 - Inform the general public about the importance of seeking immediate medical care for individuals who develop severe symptoms of COVID-19 (e.g. difficulty breathing).
 - c. Engage social scientists to help inform and enhance vaccination campaigns and PHSM implementation.
- 5. All AU Member States should notify and routinely share data with Africa CDC and WHO on confirmed COVID-19 cases, deaths, recoveries, tests conducted and infected healthcare workers to support data for action. Notify Africa CDC by emailing: AfricaCDCEBS@africa-union.org.

Resources for more information

- Africa CDC COVID-19 updates https://africacdc.org/covid-19/
- Adapted Africa Joint Continental Strategy for COVID-19 Pandemic: https://africacdc.org/download/adapted-africa-joint-continental-strategy-for-covid-19-pandemic/
- Africa CDC Resources, policy guidelines, and infographics: https://africacdc.org/covid-19/covid-19-resources/
- Africa CDC Hotspot and PHSM Tiers dashboards: https://africacdccovid.org/
- Africa CDC vaccination dashboard: https://africacdc.org/covid-19-vaccination/
- Africa CDC pathogen genomics dashboard: https://africacdc.org/institutes/africa-pathogen-genomics-initiative/

³ Enhanced COVID-19 Surveillance at the Community Level in Africa

² WHO COVID-19 Case definition

⁴ Interim Guidance on the Use of Rapid Antigen tests for COVID-19 Response – Africa CDC

⁵ Interim guidance on COVID-19 Rapid Antigen self-testing to African Union Member States – Africa CDC

⁶ Revealing the toll of COVID-19: A technical package for AU Member States – Africa CDC

⁷ Interim operational guidance on SARS-CoV-2 genomic surveillance in Africa: An updated guide

⁸ Protocol for Enhanced Severe Acute Respiratory Illness and Influenza-Like Illness Surveillance for COVID-19 in Africa – Africa CDC





- Partnership for Evidence-Based Response to COVID-19 (PERC)
 https://preventepidemics.org/covid19/perc/
- WHO Technical Guidance. https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance